

1.Company Introduction

Zhejiang Changxing Yike Textile Co., Ltd is a professional manufacturer of polyester fabrics, curtains, bedding sets and face masks, it has engaged in this field for more than 20 years. Our company is located in Changxing County, center of the Yangtze River Delta economic zone, close to Shanghai and Hangzhou.

Since its establishment, our company is committed to R&D, manufacturing, marketing and service of home textile products, fabrics like microfiber, satins, blackout curtains and jacquard curtains. At the same time, we attached importance on corporate management, improved staff's technical skill and enhance the products quality control , which have made us an outstanding achievements.

Currently our company has more than 230 skilled stuffs, around 500 water jet machines for fabrics, more than 100 machines for curtains, one dyeing factory and one home textile factory, all of this could guarantee a stable quality and a fast delivery.

Driven by technology innovation, relying on introduction of talent and support of government, we have set up an excellent and professional team, which could provide quality products and dedicated service. We are sincerely looking forward to cooperating with your esteemed company, creating a brilliant future together and contributing more for textile industry.



2. Flat type disposable face mask

Features

- High filtration protective mask with ear loops.
- Mask in PP non-woven and melt blown, 3 ply, anti-fog and filter without fiberglass.
- Mask for protecting the working environment for schools, factories and other public places. .

Description

- Mask with ear loops, 3 ply , non-sterile single use, with anti-fog.
- Composition: - latex free;
 - Mask: PP non-woven;
 - Filter: melt blown;

Technical performance

- External face: grammage: 25g / m² ± 2g / m².
- Filter: grammage: 25g / m² ± 2g / m².
- Internal face: grammage: 25g / m² ± 2g / m².
- Bacterial filtration efficiency: 95%.
- Average particle size: 3 μm ± 0.3 μm.
- Respiratory resistance: Delta P <29.4 Pa
- Assembly: ultrasonic welding.
- Recommended wearing time: - 5 hours maximum;
- Mask to change between 2 medical procedures:
- After any contact with the used mask: take care to disinfect your hands.

Technical characteristics

- Support mode on the face: using ear loops
- Blue color.
- Dimensions: Length: 175 mm ± 5mm; Width: 95 mm ± 5mm;
- Length of the nose strip: 105mm ± 3mm.
- Conformity: - CE marking according to European Directive 93/42/EEC;
- Packaging: Color box, 50pcs/box;
Box Dimensions: 19.5 x 10 x 8.0cm.
- Storage duration: 2 years
- Manufacturer: Zhejiang Changxing Yike Textile Co.,Ltd.

3. Products Picture



4.Certification

Form QAT_10-M06, version 00, effective since March 25th, 2020

CE Documentation Review



No. 4J200330P.ZCY0224

Holder: Zhejiang Changxing Yike Textile Co., Ltd.
No.66,Luhui road, Taihu street, Changxing county,
Zhejiang province,China .313100

Manufacturer: Zhejiang Changxing Yike Textile Co., Ltd.
No.66,Luhui road, Taihu street, Changxing county,
Zhejiang province,China .313100

Review goal: Verification of the presence of Technical
Documentation compatible with the Medical
Devices Directive 93/42/EEC Annex VII

Product: Disposable 3 Ply Face Masks (Not Sterile)

Model(s): YK17595

Classification: Class I (no sterile)
(accordingly to the Manufacturer's declaration)

Review output: This document has been issued on a voluntary basis
and upon request of the manufacturer. It is our
opinion that the Technical Documentation shared
with us by the manufacturer is compatible with the
European Standard for Medical Devices.
Technical documentation identified with the no.
TCF-GGC-202003025-MDD-2
The manufacturer is responsible for the CE Marking
process, and not exempted to carry out all
necessary compliance activities. This document
has been issued on the basis of the regulation on
ECM Voluntary Mark for the certification of
products. RG01_ECM rev.3 available at:
www.entecerma.it

Issuance date: 30 March 2020

Expiry date: 29 March 2025

Reviewer
Technical expert
Amanda Payne



Approver
ECM Service Director
Luca Bedonni



Ente Certificazione Macchine

Via Cà Bella, 243 - 40053 Valsamoggia Loc. Castello di Serravalle (Bo) Italy
☎ +39.0516705141 📠 +39.0516705156 ✉ info@entecerma.it 🌐 www.entecerma.it

Review Report - 审查报告 - 검토 보고서 - Rapport d'Evaluation

浙江省轻工业品质量检验研究院
国家纺织服装产品质量监督检验中心（浙江）


检验报告

国纺委字第 YJ202003828 号

第 1 页 共 3 页

委托单位名称 Name of Customer	浙江长兴艺柯纺织有限公司	地址 Address	---
生产单位 Manufacturer	浙江长兴艺柯纺织有限公司	地址 Address	---
样品信息 Sample information	样品名称 Name of sample: 口罩 样品特性 Characteristics: 蓝色 商标 Trademark: --- 规格/号型 Specification/model: --- 等级 Level: --- 安全技术类别 Category of safety specification: --- 样品款号/货号 Art. No.: --- -----		
以上为客供信息 (Above-mentioned information by Customer-supplied)			
来样方式 The sent way of sample	快递	样品数量 Sample quantity	30 个
送检日期 Receiving Date of Sample	2020-03-18	检测类别 Test Category	委托检验
判定依据 Rating Requirements	GB/T 32610-2016		
检测结论/Test Summary: 实测结果详见附页。 <div style="text-align: right;"> (检验报告专用章) Test Seal 批准日期/ Date of Approval: 2020-03-19 </div>			
备注 Remarks	1、样品标识未标注防护效果级别，按最低标准要求 D 级判定。 2、样品未经预处理。 3、生产日期： 2020-03-17。		

签发:
Approved by



检验报告

国纺委字第 YJ202003828 号

第 2 页 共 3 页

序号	检测项目	检测方法	单位	标准要求 (D级)	实测值	单项评价	结果备注	
1	呼吸阻力	GB/T 32610-2016	吸气阻力	Pa	≤ 175	82	符合	---
			呼气阻力	Pa	≤ 145	68		
2	过滤效率 (盐性介质)	GB/T 32610-2016 附录 A	%	≥ 90	95.1	符合	---	
3	防护效果	GB/T 32610-2016 附录 B	%	≥ 65	65.4	符合	---	

